CERTIFICATE OF ANALYSIS

PRODUCT NAME:	Organic Strawberry Lemonade Gummies - Kosher Certified
PRODUCT STRENGTH:	25mg CBD / gummy
BATCH:	230517A, 230526B, 230710A, 230814A
BEST BY DATE:	5/1/2025
HEMP EXTRACT LOT:	2-10A-879-03049

Physical Atttributes

Test	Method	Specification	Results
Color	Internal	Medium Pink	PASS
Odor	Internal	Sweet, strawberry, lemon	PASS
Appearance	Internal	Medium pink gummies with sugar coating in child proof container	PASS
Primary Package Eval.	Internal	Container clean and free of filth. Container caps tight and seals intact	PASS
Secondary Package Eval.	Internal	Labeling Compliance Checked, Sufficient cushion material exists. Box taped and secure.	PASS

Review of Third-Party Analysis

Panel	Method	Specification	Results*	Pass/Fail
Potency - Total CBD	HPLC-UV DAD	*NLT 25 mg / softgel	**24.8mg**	PASS
Potency - D9-THC	HPLC-UV DAD	LOQ: <0.01% (broad spectrum)	**ND**	PASS
Expanded Pesticide Panel	HPLC-QQQ	LOQ: Complies with CDPHE 6 CCR 1010-21 Industrial Hemp Extract	**Below LOQ**	PASS
Microbial Escherichia coli (STEC)	PCR	Complies with CDPHE 6 CCR 1010-21 - LOQ 1 CFU/25 gram	**Absent**	PASS
Microbial Salmonella	PCR	Complies with CDPHE 6 CCR 1010-21 - LOQ 1 CFU/25 gram	**Absent**	PASS
Microbial Yeast and Mold	Culture Plating	Complies with CDPHE 6 CCR 1010-21 - LOQ 10^2 CFU/gram	**Below LOQ**	PASS
Microbial Total Coliforms*	Culture Plating	Complies with CDPHE 6 CCR 1010-21 - LOQ 10^2 CFU/gram	**Below LOQ**	PASS
Microbial Total Aerobic Count*	Culture Plating	Complies with CDPHE 6 CCR 1010-21 - LOQ 10^3 CFU/gram	**Below LOQ**	PASS
Heavy Metals Panel	ICP-MS	Arsenic (As): ≤1.5 ppm Cadmium (Cd): ≤0.5 ppm Lead (Pb): ≤0.5 ppm Mercury (Hg): ≤1.5 ppm	**Below LOQ**	PASS
Mycotoxins	ICP-MS	Total Aflatoxins <20 ppb† Afltoxin B1 < 5 ppb Ochratoxin < 5ppb	**Below LOQ**	PASS
Residual Solvents	GC-HS-MSD	LOQ: Complies with CDPHE 6 CCR 1010-21 Industrial Hemp Extract	**Below LOQ**	PASS

* *Level of Quantitation, † Parts Per Million † Part Per Billion CFU/g=Colony Forming Units per Gram
* Nothing Less Than
10^2=100 CFU
10^3=1,000 CFU

Quality Certified — Name — **6/21/2023** — Date

Cannabinoid Analysis

Tested by high-performance liquid chromatography with diode-array detection (HPLC-DAD).

Method: OSP 1157 - Analysis of Cannabinoids by HPLC-DAD

TOTAL THC: Not Detected
Total THC (Δ^9-THC+0.877*THCa)

TOTAL CBD: 24.811 mg/unit
Total CBD (CBD+0.877*CBDa)

TOTAL CANNABINOIDS: 27.002 mg/unit
Total Cannabinoids (Total THC) + (Total CBD) + (Total CBG) + (Total THCV) + (Total CBC) + (Total CBDV) + Δ^8-THC + CBL + CBN

TOTAL CBG: 0.559 mg/unit
Total CBG (CBG+0.877*CBGa)

TOTAL THCV: ND
Total THCV (THCV+0.877*THCVa)

TOTAL CBC: 0.611 mg/unit
Total CBC (CBC+0.877*CBCa)

TOTAL CBDV: 0.118 mg/unit
Total CBDV (CBDV+0.877*CBDVa)

CANNABINOID TEST RESULTS - 05/08/2023

COMPOUND	LOD/LOQ (mg/g)	MEASUREMENT UNCERTAINTY (mg/g)	RESULT (mg/g)	RESULT (%)
CBD	0.004 / 0.011	±0.1969	5.279	0.5279
CBN	0.001 / 0.007	±0.0055	0.192	0.0192
CBC	0.003 / 0.010	±0.0042	0.130	0.0130
CBG	0.002 / 0.006	±0.0058	0.119	0.0119
CBDV	0.002 / 0.012	±0.0010	0.025	0.0025
Δ^9-THC	0.002 / 0.014	N/A	ND	ND
Δ^8-THC	0.01 / 0.02	N/A	ND	ND
THCa	0.001 / 0.005	N/A	ND	ND
THCV	0.002 / 0.012	N/A	ND	ND
THCVa	0.002 / 0.019	N/A	ND	ND
CBDa	0.001 / 0.026	N/A	ND	ND
CBDVa	0.001 / 0.018	N/A	ND	ND
CBGa	0.002 / 0.007	N/A	ND	ND
CBL	0.003 / 0.010	N/A	ND	ND
CBCa	0.001 / 0.015	N/A	ND	ND
Total THC		N/A	ND	ND
SUM OF CANNABINOIDS			5.745 mg/g	0.5745%

Unit Mass: 4.7 grams per Unit / Serving Size: 4.7 grams per Serving

Δ^9-THC per Unit	ND
Δ^9-THC per Serving	ND
Total THC per Unit	ND
Total THC per Serving	ND
CBD per Unit	24.811 mg/unit
CBD per Serving	24.811 mg/serving
Total CBD per Unit	24.811 mg/unit
Total CBD per Serving	24.811 mg/serving
Sum of Cannabinoids per Unit	27.002 mg/unit
Sum of Cannabinoids per Serving	27.002 mg/serving
Total Cannabinoids per Unit	27.002 mg/unit
Total Cannabinoids per Serving	27.002 mg/serving

© 2023 SC Labs all rights reserved. Trademarks referenced are trademarks of either SC Labs or their respective owners. MKT0002 REV9 2/22

Pesticide Analysis

Pesticide and plant growth regulator analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS) or gas chromatography-mass spectrometry (GC-MS).

*GC-MS utilized where indicated.

Method: QSP 1212 - Analysis of Pesticides and Mycotoxins by LC-MS or QSP 1213 - Analysis of Pesticides by GC-MS

PESTICIDE TEST RESULTS - 05/11/2023 PASS

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (µg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (µg/g)	RESULT
Abamectin	0.032 / 0.097	0.25	N/A	ND	PASS
Acephate	0.006 / 0.018	0.05	N/A	ND	PASS
Acequinocyl	0.009 / 0.027	≥ LOQ	N/A	ND	PASS
Acetamiprid	0.016 / 0.049	0.05	N/A	ND	PASS
Aldicarb	0.030 / 0.090	0.5	N/A	ND	PASS
Allethrin	0.030 / 0.092	0.1	N/A	ND	PASS
Atrazine	0.006 / 0.019	≥ LOQ	N/A	ND	PASS
Azadirachtin	0.082 / 0.248	0.5	N/A	ND	PASS
Azoxystrobin	0.003 / 0.009	0.01	N/A	ND	PASS
Benzovindiflupyr	0.003 / 0.009	0.01	N/A	ND	PASS
Bifenazate	0.003 / 0.009	0.01	N/A	ND	PASS
Bifenthrin	0.021 / 0.064	≥ LOQ	N/A	ND	PASS
Boscalid	0.003 / 0.009	0.01	N/A	ND	PASS
Buprofezin	0.006 / 0.019	≥ LOQ	N/A	ND	PASS
Carbaryl	0.007 / 0.020	0.025	N/A	ND	PASS
Carbofuran	0.003 / 0.008	0.01	N/A	ND	PASS
Chlorantraniliprole	0.006 / 0.018	≥ LOQ	N/A	ND	PASS
Chlorfenapyr*	0.005 / 0.015	1.5	N/A	ND	PASS
Chlorpyrifos	0.013 / 0.039	0.5	N/A	ND	PASS
Clofentezine	0.003 / 0.009	0.01	N/A	ND	PASS
Clothianidin	0.008 / 0.025	0.025	N/A	ND	PASS
Coumaphos	0.003 / 0.010	0.01	N/A	ND	PASS
Cyantraniliprole	0.003 / 0.010	0.01	N/A	ND	PASS
Cyfluthrin	0.052 / 0.159	≥ LOQ	N/A	ND	PASS
Cypermethrin	0.051 / 0.153	≥ LOQ	N/A	ND	PASS
Cyprodinil	0.003 / 0.008	0.01	N/A	ND	PASS
Daminozide	0.026 / 0.077	≥ LOQ	N/A	ND	PASS
Deltamethrin	0.059 / 0.180	≥ LOQ	N/A	ND	PASS
Diazinon	0.006 / 0.017	≥ LOQ	N/A	ND	PASS
Dichlorvos (DDVP)	0.012 / 0.038	0.05	N/A	ND	PASS
Dimethoate	0.003 / 0.009	0.01	N/A	ND	PASS
Dimethomorph	0.016 / 0.050	≥ LOQ	N/A	ND	PASS
Dinotefuran	0.010 / 0.030	0.05	N/A	ND	PASS
Diuron	0.013 / 0.040	≥ LOQ	N/A	ND	PASS
Dodemorph	0.012 / 0.035	≥ LOQ	N/A	ND	PASS
Endosulfan sulfate	0.016 / 0.048	2.5	N/A	ND	PASS
Endosulfan-α*	0.004 / 0.014	2.5	N/A	ND	PASS
Endosulfan-β*	0.006 / 0.019	2.5	N/A	ND	PASS
Ethoprophos	0.003 / 0.009	0.01	N/A	ND	PASS
Etofenprox	0.014 / 0.042	≥ LOQ	N/A	ND	PASS
Etoxazole	0.007 / 0.020	≥ LOQ	N/A	ND	PASS

Continued on next page

© 2023 SC Labs all rights reserved. Trademarks referenced are trademarks of either SC Labs or their respective owners. MKT0002 REV9 2/22

Pesticide Analysis *Continued*

PESTICIDE TEST RESULTS - 05/11/2023 *continued* PASS

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (µg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (µg/g)	RESULT
Etridiazole*	0.002 / 0.005	0.15	N/A	ND	PASS
Fenhexamid	0.003 / 0.008	≥ LOQ	N/A	ND	PASS
Fenoxycarb	0.003 / 0.010	0.01	N/A	ND	PASS
Fenpyroximate	0.007 / 0.020	≥ LOQ	N/A	ND	PASS
Fensulfothion	0.003 / 0.010	0.01	N/A	ND	PASS
Fenthion	0.003 / 0.010	0.01	N/A	ND	PASS
Fenvalerate	0.033 / 0.099	≥ LOQ	N/A	ND	PASS
Fipronil	0.003 / 0.010	0.01	N/A	ND	PASS
Flonicamid	0.007 / 0.022	0.025	N/A	ND	PASS
Fludioxonil	0.003 / 0.010	0.01	N/A	ND	PASS
Fluopyram	0.003 / 0.009	0.01	N/A	ND	PASS
Hexythiazox	0.003 / 0.010	≥ LOQ	N/A	ND	PASS
Imazalil	0.003 / 0.009	0.01	N/A	ND	PASS
Imidacloprid	0.003 / 0.010	0.01	N/A	ND	PASS
Iprodione	0.077 / 0.233	0.5	N/A	ND	PASS
Kinoprene	0.077 / 0.233	1.25	N/A	ND	PASS
Kresoxim-methyl	0.006 / 0.019	0.15	N/A	ND	PASS
λ-Cyhalothrin	0.068 / 0.206	≥ LOQ	N/A	ND	PASS
Malathion	0.003 / 0.009	0.01	N/A	ND	PASS
Metalaxyl	0.003 / 0.010	0.01	N/A	ND	PASS
Methiocarb	0.003 / 0.008	0.01	N/A	ND	PASS
Methomyl	0.008 / 0.025	0.025	N/A	ND	PASS
Methoprene	0.172 / 0.521	≥ LOQ	N/A	ND	PASS
Mevinphos	0.008 / 0.024	0.025	N/A	ND	PASS
MGK-264	0.015 / 0.047	≥ LOQ	N/A	ND	PASS
Myclobutanil	0.003 / 0.009	0.01	N/A	ND	PASS
Naled	0.021 / 0.064	≥ LOQ	N/A	ND	PASS
Novaluron	0.002 / 0.005	0.025	N/A	ND	PASS
Oxamyl	0.017 / 0.051	1.5	N/A	ND	PASS
Paclobutrazol	0.003 / 0.010	0.01	N/A	ND	PASS
Parathion-methyl	0.016 / 0.050	≥ LOQ	N/A	ND	PASS
Pentachloronitrobenzene*	0.004 / 0.012	≥ LOQ	N/A	ND	PASS
Permethrin	0.056 / 0.168	≥ LOQ	N/A	ND	PASS
Phenothrin	0.016 / 0.047	≥ LOQ	N/A	ND	PASS
Phosmet	0.007 / 0.020	≥ LOQ	N/A	ND	PASS
Piperonyl Butoxide	0.010 / 0.029	1.25	N/A	ND	PASS
Pirimicarb	0.003 / 0.009	0.01	N/A	ND	PASS
Prallethrin	0.015 / 0.046	≥ LOQ	N/A	ND	PASS
Propiconazole	0.027 / 0.080	≥ LOQ	N/A	ND	PASS
Propoxur	0.003 / 0.008	0.01	N/A	ND	PASS
Pyraclostrobin	0.003 / 0.010	0.01	N/A	ND	PASS

Continued on next page

© 2023 SC Labs all rights reserved. Trademarks referenced are trademarks of either SC Labs or their respective owners. MKT0002 REV9 2/22

Pesticide Analysis *Continued*

COMPOUND	LOD/LOQ (µg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (µg/g)
Spirodiclofen	0.031 / 0.093	N/A	ND
Spiromesifen	0.016 / 0.050	N/A	ND
Spirotetramat	0.003 / 0.010	N/A	ND
Spiroxamine	0.020 / 0.062	N/A	ND
Tebuconazole	0.003 / 0.010	N/A	ND
Tebufenozide	0.003 / 0.008	N/A	ND
Teflubenzuron	0.007 / 0.022	N/A	ND
Tetrachlorvinphos	0.003 / 0.008	N/A	ND
Tetramethrin	0.021 / 0.063	N/A	ND
Thiabendazole	0.006 / 0.020	N/A	ND
Thiacloprid	0.003 / 0.009	N/A	ND
Thiamethoxam	0.003 / 0.010	N/A	ND
Thiophanate-methyl	0.013 / 0.040	N/A	ND
Trifloxystrobin	0.003 / 0.009	N/A	<LOQ

Mycotoxin Analysis

Mycotoxin analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS).

Method: QSP 1212 - Analysis of Pesticides and Mycotoxins by LC-MS

MYCOTOXIN TEST RESULTS - PASS

COMPOUND	LOD/LOQ (µg/kg)	ACTION LIMIT (µg/kg)	MEASUREMENT UNCERTAINTY (µg/kg)	RESULT (µg/kg)	RESULT
Aflatoxin B1	1.6 / 5.0	5	N/A	ND	PASS
Aflatoxin B2	1.4 / 4.1		N/A	ND	
Aflatoxin G1	1.6 / 4.9		N/A	ND	
Aflatoxin G2	1.6 / 5.0		N/A	ND	
Total Aflatoxin		20		ND	PASS
Ochratoxin A	1.6 / 5.0	5	N/A	ND	PASS

Residual Solvents Analysis

Residual Solvent analysis utilizing gas chromatography-mass spectrometry (GC-MS).

Method: QSP 1204 - Analysis of Residual Solvents by GC-MS

Total Butanes = n-Butane + 2-Methylpropane (Isobutane)
Total Heptanes = 2,2-Dimethylpentane (Neoheptane) + 2,3-Dimethylpentane + 2,4-Dimethylpentane + 3,3-Dimethylpentane + 2,2,3-Trimethylbutane (Triptane) + 2-Methylhexane (Isoheptane) + 3-Methylhexane + 3-Ethylpentane + n-Heptane
Total Xylenes = 1,2-Dimethylbenzene (o-Xylene) + 1,3-Dimethylbenzene (m-Xylene) / 1,4-Dimethylbenzene (p-Xylene)

RESIDUAL SOLVENTS TEST RESULTS - ND

COMPOUND	LOD/LOQ (µg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (µg/g)
Propane	0.234 / 0.781	N/A	ND
2-Methylpropane (Isobutane)	0.052 / 0.173	N/A	ND
n-Butane	0.019 / 0.063	N/A	ND
Total Butanes			ND
n-Pentane	0.310 / 1.033	N/A	ND
n-Hexane	0.110 / 0.366	N/A	ND
2,2-Dimethylpentane (Neoheptane)	0.493 / 1.642	N/A	ND
2,3-Dimethylpentane	1.009 / 3.365	N/A	ND
2,4-Dimethylpentane	0.737 / 2.458	N/A	ND
3,3-Dimethylpentane	0.198 / 0.660	N/A	ND

Continued on next page

© 2023 SC Labs all rights reserved. Trademarks referenced are trademarks of either SC Labs or their respective owners. MKT0002 REV9 2/22

Residual Solvents Analysis
Continued

RESIDUAL SOLVENTS TEST RESULTS *continued* **ND**

COMPOUND	LOD/LOQ (µg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (µg/g)
2,2,3-Trimethylbutane (Triptane)	*0.521 / 1.738*	*N/A*	ND
2-Methylhexane (Isoheptane)	*0.610 / 2.034*	*N/A*	ND
3-Methylhexane	*0.235 / 0.785*	*N/A*	ND
3-Ethylpentane	*0.304 / 1.012*	*N/A*	ND
n-Heptane	*13.12 / 43.72*	*N/A*	ND
Total Heptanes			ND
Benzene	*0.089 / 0.295*	*N/A*	ND
Toluene	*0.115 / 0.382*	*N/A*	ND
1,3-Dimethylbenzene / 1,4-Dimethylbenzene	*0.451 / 1.502*	*N/A*	ND
1,2-Dimethylbenzene (o-Xylene)	*0.387 / 1.289*	*N/A*	ND
Total Xylenes			ND
Methanol	*5.534 / 16.77*	*N/A*	ND
Ethanol	*8.984 / 27.23*	*N/A*	ND
2-Propanol (Isopropyl Alcohol)	*8.421 / 25.52*	*N/A*	ND
Acetone	*9.510 / 28.82*	*N/A*	ND
Ethyl Acetate	*1.123 / 3.745*	*N/A*	ND

Heavy Metals Analysis

Heavy metal analysis utilizing inductively coupled plasma-mass spectrometry (ICP-MS).

Method: QSP 1160 - Analysis of Heavy Metals by ICP-MS

HEAVY METALS TEST RESULTS - PASS

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (µg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (µg/g)	RESULT
Arsenic	*0.02 / 0.1*	*1.5*	*N/A*	ND	PASS
Cadmium	*0.02 / 0.05*	*0.5*	*N/A*	ND	PASS
Lead	*0.04 / 0.1*	*0.5*	*N/A*	ND	PASS
Mercury	*0.002 / 0.01*	*1.5*	*N/A*	ND	PASS

© 2023 SC Labs all rights reserved. Trademarks referenced are trademarks of either SC Labs or their respective owners. MKT0002 REV9 2/22

SC Labs®
Formerly Botanacor Labs

Official Compliance: Colorado

CERTIFICATE OF ANALYSIS

Strawberry Lemonade 25mg

Batch ID or Lot Number: **230517A, 230526B, 230710A, 230814A**	Test: **Microbial Contaminants**	Reported: **25May2023**	USDA License: N/A
Matrix: Finished Product	Test ID: T000244510	Started: 22May2023	Sampler ID: N/A
	Method(s): TM25 (qPCR) TM24, TM26, TM27 (Culture Plating): Microbial (Colorado Panel)	Received: 22May2023	Status: Active

Microbial Contaminants

	Method	LOD	Quantitation Range	Result	Notes
STEC	TM25: PCR	10^0 CFU/25g	NA	Absent	Free from visual mold, mildew, and foreign matter
Salmonella	TM25: PCR	10^0 CFU/25g	NA	Absent	
Total Yeast and Mold*	TM24: Culture Plating	10^1 CFU/g	$1.0x10^2$ - $1.5x10^4$	None Detected	
Total Aerobic Count*	TM26: Culture Plating	10^2 CFU/g	$1.0x10^3$ - $1.5x10^5$	None Detected	
Total Coliforms*	TM27: Culture Plating	10^1 CFU/g	$1.0x10^2$ - $1.5x10^4$	None Detected	

Final Approval

Brett Hudson
25May2023
03:04:00 PM MDT
PREPARED BY / DATE

Eden Thompson-Wright
25May2023
04:03:00 PM MDT
APPROVED BY / DATE

https://results.botanacor.com/api/v1/coas/uuid/d98b41b1-94e6-4663-9723-eeadb7de0b0c

Definitions
* Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form. Examples: 10^2 = 100 CFU, 10^3 = 1,000 CFU, 10^4 = 10,000 CFU, 10^5 = 100,000 CFU
CFU/g = Colony Forming Units per Gram, LOD = Limit of Detection
ULOQ = Upper Limit of Quantitation, LLOQ = Lower Limit of Quantitation
STEC = Shiga Toxin-Producing E. coli

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.

Cert #4329.02
Certified Test Laboratory
CDPHE Certified

d98b41b194e646639723eeadb7de0b0c.1